

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/555362</u>	Examiner : <u>Sweed Low</u>	GAU : <u>264Y</u>
From : <u>TW</u>	Location : IDC FMF <u>(FDC)</u>	Date : <u>1-20-06</u>
Tracking # : <u>EPM</u>		Week Date : <u>3-28-06</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	<u>6-23-05</u>	<input checked="" type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: _____

The IPFE and A.NA paperwork scanned into the file dated 6-23-05 has a serial number that does not match the serial number of this application

Please correct

Thank You
TW

[XRUSH] RESPONSE: _____

INITIALS: _____

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04